

In Living Spaces Sander Quality


Ccessories
PRICE LIST








# Fixing Accessories









# **Locking** System


### SM04M012




Compatible with both 12mm and 18mm HPL panels. Mechanism; It shows from the outside whether the door is busy with the colored mechanism (red-green) on the slide. In emergencies, it can be intervened from outside.

#### It is MAT anodized aluminium.

Sliding system, body and arm are made of anodized aluminium profile. There is an on-off indicator on the outer cover. There is a handle inside and for sudden interventions; It can be opened from the outside with any pointed material. It locks with the bolt method; it provides safety so that the lock arm does not close by itself. Lock; It is mounted on the door for inward and outward opening doors.

































## Hinge System SM03M012 ( 2,735 €

In closure hinge (panel rebated) door systems, it has ABS plastic degree-adjustable mechanism that allows the doors to close automatically.

Metal parts are made of bright anodized aluminium. Compatible with 12mm and 13mm HPL panels.

A single screw is used to overlap the compact laminate material by 25 mm on both sides and in panel connections to the door. The screws will appear on the hinge to wrap the compact laminate material on both sides. With the door 10 mm away from the panels, the inside of the cabin will be prevented from being seen by 25 mm. Thanks to its own adjustment mechanism, the door can be adjusted to the desired degree.





























## **Stand** Accessories


### SM01M012 (3,57)

Compatible with both 12mm and 18mm HPL panels.

This accessory has an adjustable height (between 150 mm - 200 mm) and helps to fit on any sloped surface in wet areas. It is connected to the anti-bacterial plastic floor.

Stem is made of MAT Anodized Aluminium





SM02M012 (3,095 €




























## **Connetion** Details

## **HPL L -Connection** SM06M012 (0,715

Head profile and "U", profiles are used in MAT aluminum, panel-wall and panel-panel intersection points.

All fasteners used in cabinet assembly are Stainless steel.






## **HPL U - Connection** SM05M012 (0,835 €

Head profile and "U", profiles are used in MAT aluminum, panel-wall and panel-panel intersection points.

All fasteners used in cabinet assembly are Stainless steel.






























# Support Accessories

# Handle SM08M012 (

3,33 €

Made of aluminium anodized material, 27 mm in diameter and 32 mm in length. It is used on both sides to open the door with M6x35 stainless steel screw connection.






## Hanger SM07M012

0,715 €

It is made of aluminium anodized single hook 55 mm long and 35 mm wide material - it has a rubber stop at the end to act as a stop and soften the impacts.









































# **Locking** System

S005P012 (



Compatible with 12mm and 18mm HPL panels. Mechanism; With the colored mechanism (redgreen) on the slide, it shows whether the door is busy from the outside, in case of emergency, it is intervened from the outside.

#### It is GLOSSY anodized aluminum.

Sliding system body and arm are made of bright anodized aluminium profile. There is an on-off indicator on the outer cover. It has a handle inside and can be opened with any pointed material from the outside for emergency interventions. It locks with the bolt method; it provides safety so that the lock arm does not close by itself. The lock is mounted on the door for inward and outward opening doors.






























# Hinge System


S003P012 (4,165 €




In closure hinge (panel rebated) door systems, it has ABS plastic degree-adjustable mechanism that allows the doors to close automatically.

Metal parts are made of bright anodized aluminium. Compatible with 12mm and 18mm HPL panels.

It is mounted to the door in such a way that 25 mm overlaps on both sides of the compact laminate material and by using a single screw opposite to the door in panel connections. The hinge is mounted on both sides to wrap the compact laminate material. With the door 10 mm away from the panels, the inside of the cabin will be prevented from being seen by 25 mm. Thanks to its own adjustment mechanism, the door can be adjusted to the desired degree.






























## **Stand** Accessories


S001P012 (6,425 €

#### Compatible with 12mm and 18mm HPL panels.

The height of this accessory is adjustable (between 100mm-200mm) and it helps to level all kinds of inclined surfaces in wet areas. It is attached to the panel with two screws, it has 70 kg carrying capacity. It has fix to the anti-bacterial plastic floor.

The stem is made of GLOSSY anodized aluminium





S001P012 (






























# Fixing Details







Compatible with 12mm and 18mm HPL panels.

It is used for panel connections of compact laminate material. The U-joint is connected to the HPL panel with a single-sided screw.

It is produced as GLOSSY anodized aluminium































# Support Accessories

## Handle SO09P012

3.33

It is produced from aluminium glossy anodized material with a diameter of 35 mm and a length of 40 mm. It is used on both sides to open the door with M6x35 stainless steel screw connection.






## Hanger SO08P012

0,895 €

It is made of aluminium material, 55 mm long and 35 mm wide, with aluminium glossy anodized single hook. It has a plastic stop at the tip to act as a stop and soften the blows.






























# Fixing Accessories











# **Locking** System

### SR04M012



Compatible with 12mm and 18mm HPL panels. Mechanism; it has a latch and turns and shows from the outside whether the door is busy with the colored mechanism (red-green) on it, it can be intervened from the outside in case of emergency

#### Its MAT anodized aluminium.

The latch-turned body and handle are made of matt anodized aluminum profile. There is an onoff indicator on the outer cover. It has a handle inside and can be opened with any pointed material from the outside for emergency interventions. It locks with the latch turning method.






























# Hinge System


SR03M012 (



For flat (Single-sided) door systems, it has an ABS plastic degree-adjustable mechanism that allows the doors to close automatically.

Metal parts are made of MAT anodized aluminium.

Compatible with 12mm and 18mm HPL panels



























# **Stand** Accessories

SR01M012


5,31

#### Compatible with 12mm and 18mm HPL panels.

The height of this accessory is adjustable (between 100mm-200mm) and it helps to level all kinds of inclined surfaces in wet areas. It is attached to the panel with two screws, its carrying capacity is 70 kg. It is connected to the anti-bacterial plastic

Body made of MAT anodized aluminium





SR02M012 (4,75)

































## Fixing Details

HPL U -Bağlantı SR05M012 ( 0,835 €

#### Compatible with 12mm and 18mm HPL panels.

It is used at the panel-wall and panel-panel intersections of compact laminate material. The U connection is connected to the HPL panel with female-male screws.

Produced as Mat anodized aluminium

## **HPL L -Connection** SR06M012 0,715

Head profile and "L", profiles are used in MAT aluminum, panel-wall and panel-panel intersection points.

All fasteners used in cabinet assembly are Stainless steel.






























# Support Accessories

## Handle SR08M012 (3,33

It is made of aluminium matt anodized material with a diameter of 35 mm and a length of 40 mm. It is used on both sides to open the door with M6x35 stainless steel screw connection.






## Hanger SR07M012

0.95

It is made of aluminium material with a length of 55 mm and a width of 35 mm with double hooks, aluminium matte anodized.

It has a plastic stop at the tip to act as a stop and soften the blows. It has a carrying capacity up to 10 kg.









































## **Locking** System

SS05C012

9,90

Compatible with 12mm and 18mm HPL panels. Mechanism; It has a latch and dial, with the colored mechanism (redgreen) on it, it shows from the outside whether the door is busy or not, in case of emergency, it is intervened from the outside.

It is 304 Stainless Steel.

The latched twist body and handle are made of 304 quality stainless steel. There is an on-off indicator on the outer cover. It has a handle inside and can be opened with any pointed material from the outside for emergency interventions. It locks with the latch turning method.



























# Fixing Accessories




# Hinge System

## SS03XO12 (With Spring)



It is a system with a spring mechanism that allows the doors to close automatically for single-face (Lamp Tenon) door systems.

Metal parts are made of 304 quality stainless steel. Compatible with 12mm and 18mm HPL panels.




## SS04XO12 (Without Spring)



It is for single face (Lamp Tenon) door systems.

Metal parts are made of 304 quality stainless steel.

Compatible with 12mm and 18mm HPL panels






























## **Stand** Accessories

SS01X012 (

8.80


Compatible with 12mm and 18mm HPL panels.


This accessory is height adjustable (Between 100mm-200mm) and helps to level all kinds of inclined surfaces in wet areas. Carrying capacity is 70kg.

It has fix to the anti-bacterial plastic floor.









SS02X012 8,20






























# Fixing Detailsı



Compatible with 12mm and 18mm HPL panels.


It is used at the panel-wall and panel-panel intersections of compact laminate material. The U connection is connected to the HPL panel with female-male screws.


It is produced as 304 quality STAINLESS STEEL.



Head profile and "L", profiles are used in MAT aluminum, panel-wall and panel-panel intersection points.

All fasteners used in cabinet assembly are Stainless steel.
































# Support Accessories

## Handle SS09X012

4,35

304 quality stainless steel material 35mm diameter 40mm It is used on both sides to open the door with M6x35 stainless steel screw connection.






## Hanger SS08X012

2.60

It is made of 304 quality stainless steel material. It has a plastic stop at the tip to act as a stop and soften the blows.


































#### PS0112M

(U CONNECTION MATE PROFILE

UNIT : PC/183

4.15





#### PS0112P

(U CONNECTION GLOSS PROFILE)

4.15



U CONNECTION INOX PROFILE

UNIT : PC/183

4.21



#### PS0212M

UPPER PANEL CONNECTION MATE PROFILE

UNIT : PC/300

17,78 €





#### PS0212P

UPPER PANEL CONNECTION GLOSS PROFILE

UNIT : PC/300

17,78






#### PS0212X

(UPPER PANEL CONNECTION INOX PROFILE )

UNIT : PC/300





#### PS0512M

UPPER PANEL CONNECTION MATE PROFILE

UNIT : PC/300

17,78 €



(UPPER PANEL CONNECTION GLOSS PROFILE)

UNIT : PC/300

17,78





#### PS0512X

(UPPER PANEL CONNECTION INOX PROFILE )

UNIT : PC/300

18,26 €



























#### PS0312M

DOOR MATE PROFILE

UNIT : PC/183

3.57 €



#### PS0312M

DOOR GLOSS PROFILE

UNIT : PC/183

3,57 €



#### PS0312M

DOOR INOX PROFILE

UNIT : PC/183

3,57 €



#### PS0412M

CORNER CONNECTION

MATE PROFILE

UNIT : PC/183

6,41



#### PS0412P

(CORNER CONNECTION GLOSS PROFILE)

UNIT : PC/183

6,41 €)



#### PS0412X

(CORNER CONNECTION INOX PROFILE)

UNIT : PC/183


6,58 €




























Regus-Kagithane Ofis Park Merkez Mah. Bağlar Cad. No:14 C2 Blok Zemin Kat, 34406 İstanbul, Turkey



Kızılcaşar Mah. Kızılcaşar Küme Evler No: 406 İç Kapı No: 75 **Gölbaşı/ Ankara** 



Mehmet Aktif Mah. Petrol Yolu Cad.No:212 **Sultanbeyli/İstanbul, Turkey** 

www.sander.com.tr

@ info@sander.com.tr

@ export@sander.com.tr

